Forest Products Journal Index. . .1976

All the articles in the 1976 *Journal* are listed both by subject and by author. The Subject Index is organized according to the FPRS Division and Technical Committee structure.

The Author Index lists senior author entries which give complete information for the article, and co-author entries which refer back to the senior author.

Reprints of all the articles listed are available at a cost of 20¢ per printed page. Bulk rates are also available. The reprint number and cost per single reprint are listed for each entry. A check or money order must accompany each order.

FPRS Subject Index . . . Vol. 26, 1976

PRODUCTS DIVISION

Bark & Residues

Advances in Utilizing Wood Residue and Bark as Fuel for a Gas Turbine, D. R. Moody, 9:65 (No. 5633—$1.60)

Bark as Trickling-Filter Dewatering Medium for Primary Sludge, G. R. Lightsey, J. W. Mitchell, Jr., and J. Travis, 12:17 (No. 5511—$1)

Effects of Bark, Density Profile, and Resin Content on Medium-Density Fiberboards From Southern Hardwoods, G. E. Woodson, 2:39 (No. 5423—$.80)

Hardwood Bark Properties Important to the Manufacture of Fiber Products, D. W. Einspahr and M. Harder, 6:28 (No. 5472—$.80)

In-House Generation of Electricity From Wood Waste Residue, F. L. Morton, 9:73 (No. 5625—$.80)

Look for Wood in Crossties, J. P. Howe, 1:14 (No. 5473—$.60)

Method for Estimating Potential Wood-Chip Supplies From Sawmills, F. C. Emerson, 1:52 (No. 5380—$.40)

Modified Barks as Scavengers for Heavy Metal Ions, J. M. Randall, E. Hautala, A. C. Waiss, Jr., and J. L. Tschernitz, 8:46 (No. 5483—$1)

Potential Sources of Wood Fiber in the Northeast, J. T. Bones, 2:30 (No. 5466—$.60)

Preliminary Evaluation of a Wood-Cement Composite, D. R. Prestemon, 2:43 (TN-296—$.60)

Properties of Medium-Density, Dry-Formed Fiberboard From Seven Hardwood Residues and Bark, P. Chow, 5:48 (No. 5454—$1.60)

Removing Bark From Southern Hardwood Whole-Tree Chips, J. R. Erickson, 2:45 (No. 5471—$.80)

Sawmill Residue Yields From Yellow-Poplar Saw Logs, A. Clark III, 1:23 (No. 5408—$1)

Wood Residue Energy Conversion Systems Market, W. E. Moore, 3:23 (No. 5394—$1.20)

Wood Residue for Veneer Drying—a Case History, L. H. Furman and L. G. Desmon, 9:52 (No. 5632—$.80)

Wood Utilization Within the Primary Wood-Using Industry, R. L. Welch and T. R. Bellamy, 6:13 (No. 5503—$.80)

Construction Plywood

Durability of Adhesives in Plywood, R. H. Gillespie and B. H. River, 10:21 (No. 5533—$1)

Effects of Moisture on the Hardness of Selected Commercial Wood-Base Panel Materials, P. Chow, 7:41 (TN-309—$.80)

Effects of Thickness and Moisture on the Compressive Strength of Sheathing-Grade Douglas-Fir Plywood, J. Longworth and W. G. Warren, 6:42 (No. 5460—$1)

Frequency Analysis of Wood-Failure Data From Exterior Plywood, M. N. Carroll and W. G. Warren, 3:40 (No. 5431—$.80)

Performance of Softwood Plywood During 10 Years' Exposure to Weather, J. M. Black, E. A. Mraz, and J. F. Lutz, 4:24 (No. 5452—$.80)

Overlays for Southern Pine Substrates, H. M. Barnes, 6:36 (No. 5522—$1.40)

Decorative Veneers & Plywood

Decorative Veneers and Plywoods From the Pacific West, R. D. Behm, 8:18 (No. 5474—$.60)

Effect of Crosscutting and Pretreatment on Plywood Log Upgrading, M. J. Adams, 11:40 (TN-315—$.40)

Furniture, Millwork, & Allied Products

Labor Improvement Phenomenon in Furniture Manufacturing, C. W. Neel, 2:23 (No. 5428—$.60)

Hardboard & Insulation Board

Effects of Bark, Density Profile, and Resin Content on Medium-Density Fiberboards From Southern Hardwoods, G. E. Woodson, 2:39 (No. 5423—$.80)

Effects of Moisture on the Hardness of Selected Commercial Wood-Base Panel Materials, P. Chow, 7:41 (TN-309—$.80)

High-Frequency Pressing of Phenolic-Bonded Hardboards, D. J. Fahey, 7:32 (No. 5532—$.40)

Low-Density Boards From Wood Fiber and Plastic Resin Combinations, G. C. Myers, 4:31 (No. 5402—$.80)

Properties of Medium-Density, Dry-Formed Fiberboard From Seven Hardwood Residues and Bark, P. Chow, 5:48 (No. 5454—$1.60)

Hardwood Lumber

Field Trials of the Forest Service Hardwood Tree Grades, L. F. Hanks, 6:47 (No. 5365—$.60)

Laminated Wood, Components, & Engineered Structures

Assessing a Continuous Process to Produce Press-Lam Lumber, G. B. Harpole, 8:51 (No. 5544—$1.20)

Commentary on Structural Particleboard and Structural Reliability, M. O. Hunt, 10:48 (No. 5567—$.40)
Compression-Bending Strength and Stiffness of Walls With Utility Grade Studs, A. Polensek and G. H. Atherton, 11:17 (No. 5497—$1.80)
Designing Wood Structures Bonded With Elastomeric Adhesives, R. J. Hoyle, Jr., 3:28 (No. 5432—$1.40)
Dowel-Laminated Crossties. Performance in Service, Technology of Fabrication, and Future Promise, J. P. Howe and P. Koch, 5:23 (No. 5484—$1.60)
Human Response to Walking and Impact Vibration of Wood Floors, G. H. Atherton, A Polensek, and S. E. Corder, 10:40 (No. 5424—$1.60)
Klemgard Park Footbridge—a Glued Wood Truss Structure, R. J. Hoyle, Jr., 2:20 (TN-301—$.80)
Look for Wood in Crossties, J. P. Howe, 1:14 (No. 5473—$.60)
Preliminary Evaluation of Two Tongue-and-Groove Joints for Five-Ply Structural Sandwich Wood Panels for Floors, E. J. Biblis and W. Chiu, 7:55 (TN-331—$.60)
Preliminary Evaluation of a Wood-Cement Composite, D. R. Prestemon, 2:43 (TN-296—$.60)

Particleboard & Molded Products

Commentary on Structural Particleboard and Structural Reliability, M. O. Hunt, 10:48 (No. 5567—$.40)
Comparison of Linear Expansion Test Methods for Particleboard, H. M. Barnes and S. Wang, 8:27 (TN-317—$.40)
Degradation Phenomena in Urea-Formaldehyde Resin-Bonded Particleboard, P. Robitschek and R. L. Christensen, 12:43 (No. 5537—$.80)
Determining Tensile Properties of Sweetgum Veneer Flakes, E. W. Price, 10:50 (No. 5499—$.80)
Effect of Flake Geometry on Mechanical Properties of Eastern Spruce Flake-Type Particleboard, C. E. Shuler and R. A. Kelly, 6:24 (No. 5299—$1)
Effect of Temperature and Humidity on Toughness of Three Structural Particleboards, F. Carlson and J. Haygreen, 3:53 (TN-307—$.40)
Effects of a High and Low Relative Humidity Cycle on Properties of Southern Yellow Pine Particleboards, W-C. Lee and E. J. Biblis, 6:32 (No. 5482—$.80)
Effects of Moisture on the Hardness of Selected Commercial Wood-Base Panel Materials, P. Chow, 7:41 (TN-309—$.80)
Exploratory Trials With a Spiral-Head Chipper to Make Hardwood "Fingerling" Chips for Ring Flakers, J. R. Erickson, 6:50 (No. 5480—$.80)
Exterior Structural Composite Panels With Southern Pine Veneer Faces and Cores of Southern Hardwood Flakes, C-Y. Hse, 7:21 (No. 5455—$1.40)
Fatigue Properties of Three Particleboards in Tension and Interlaminar Shear, J. D. McNatt and F. Werren, 5:45 (No. 5479—$.80)
Growth of Waferboard in Canada, M. N. Carroll, 11:26 (No. 5568—$1)
Improved Method for Linear Expansion Measurement in Hardboards, T. Szabo and S. U. Grierson, 1:54 (No. 5393—$.60)
Overlays for Southern Pine Substrates, H. M. Barnes, 6:36 (No. 5522—$1.40)
Particleboard: Microscopic Observations of Resin Distribution and Board Fracture, J. B. Wilson and R. L. Krahmer, 11:42 (No. 5555—$.80)
Particleboard Production, Markets, and Raw Materials in the United States, H. E. Dickerhoof, 10:16 (No. 5502—$1)
Preliminary Evaluation of Two Tongue-and-Groove Joints for Five-Ply Structural Sandwich Wood Panels for Floors, E. J. Biblis and W. Chiu, 7:55 (TN-331—$.60)
Preliminary Evaluation of a Wood-Cement Composite, D. R. Prestemon, 2:43 (TN-296—$.60)
Properties of Particleboard From Southern Yellow Pine and Cottonwood Mixtures, G. E. Coleman III and E. J. Biblis, 1:48 (No. 5405—$.80)
Properties of Particleboard From Sweetgum, G. E. Coleman III and E. J. Biblis, 4:35 (No. 5485—$.60)
Properties of Steam-Pressed Particleboard, B. J. Thoman and R. G. Pearson, 11:46 (No. 5523—$1)
Southern Hardwoods in Wood-Foam Composites, A. A. Marra, W. A. Hausknecht, and R. F. Day, 2:12 (No. 5467—$1.60)

Pulp & Paper

Chemical Pulp From Hardwoods Native to the South—Review of Techniques, Properties, and Markets, H. A. Schroeder, 1:34 (No. 5390—$1.20)

Residential & Commercial Buildings

American Home in Another Perspective, G. E. Hans, 7:14 (No. 5609—$1.40)
Compression-Bending Strength and Stiffness of Walls With Utility Grade Studs, A. Polensek and G. H. Atherton, 11:17 (No. 5497—$1.80)
Human Response to Walking and Impact Vibration of Wood Floors, G. H. Atherton, A. Polensek, and S. E. Corder, 10:40 (No. 5424—$1.60)

Softwood Lumber

Kiln Temperature Effect on Tensile Strength of Douglas-fir and Western Hemlock Lumber, C. J. Kozlik, 10:30 (No. 5495—$1)
Lumber Potential for Cull Logs in the Pacific Northwest, T. A. Snellgrove and D. R. Darr, 7:51 (No. 5512—$.80)

Treated Wood Products

Bioassay of Residual Preservative Protection in Wood, T. C. Scheffer and J. D. Lew, 7:45 (No. 5486—$1.20)
Experimental Preservative Treatment of Three Tropical Hardwoods by Double-Diffusion Processes, B. R. Johnson and G. E. Gonzalez T., 1:39 (No. 5360—$1.60)
Fumigants Can Stop Internal Decay of Douglas-Fir Poles for at Least 5 Years, R. D. Graham, T. C. Scheffer, G. Helsing, and J. D. Lew, 7:38 (No. 5396—$.80)
Permanence of Preservatives in Treated Experimental Shake Roofs, A. J. Cserjesi, 12:34 (No. 5516—$1)
Pressure Band for Sap Displacement of Freshly Felled Trees Using Waterborne Preservatives, I. N. Stalker and C. S. McClymont, 3:55 (TN-302—$.60)
Pressure-Preservative Treatment of Poplar Lumber, P. A. Cooper, 7:28 (No. 5492—$.80)
Prevention of Fungal Stain on Pine Lumber—Laboratory Screening Tests With Fungicides, H. H. Unligil, 1:32 (TN-300—$.40)
Winter Treatments Protect Birch Roundwood During Storage, T. C. Scheffer and W. E. Eslyn, 1:27 (No. 5388—$1)

Tropical Woods

Experimental Preservative Treatment of Three Tropical Hardwoods by Double-Diffusion Processes, B. R. Johnson and G. E. Gonzalez T., 1:39 (No. 5360—$1.60)

PROCESSES DIVISION

Drying & Storage

Continuous System for the Drying of Lumber With Microwave Energy, D. Barnes, L. Admiraal, R. L. Pike, and V. N. P. Mathur, 5:31 (No. 5318—$2.20)
Delayed Shrinkage After Surfacing of High-Temperature Kiln-Dried Northern Aspen Dimension Lumber, J. F. G. Mackay, 2:33 (TN-297—$.80)
Drying Southern Hardwood Timbers, Crossties, and Posts: a Review, B. H. Shunk, 4:51 (No. 5412—$1.40)
Drying Tests With a Weight-Actuated Lumber-Drying Control System, S. M. Holmes and D. G. Arganbright, 11:31 (No. 5507—$1.80)
Energy Use in an Industrial Veneer Dryer, S. E. Corder, 9:38 (No. 5641—$2)
Kiln-Drying of Western Juniper, C. J. Kozlik, 8:45 (TN-311—$.40)
Kiln-Stick Thickness Effect on Drying 2-Inch Western Hemlock Lumber, R. K. Horton and H. Resch, 3:35 (No. 5409—$1.20)

Kiln Temperature Effect on Tensile Strength of Douglas-Fir and Western Hemlock Lumber, C. J. Kozlik, 10:30 (No. 5495—$1)

Potential Emission Reduction in Veneer Dryers by Boron Compounds, G. E. Troughton and S. Chow, 5:42 (No. 5476—$.60)

Steaming Northern Red Oak to Reduce Kiln-Drying Time, W. T. Simpson, 10:35 (TN-312—$.40)

Three-Day Wood Drying Short Course a Success in Maine, R. A. Hale and L. P. Bissell, 12:14 (No. 5559—$.40)

Wood Residue for Veneer Drying — a Case History, L. H. Furman and L. G. Desmon, 9:52 (No. 5632—$.80)

Energy Conservation

Advances in Utilizing Wood Residue and Bark as Fuel for a Gas Turbine, D. R. Moody, 9:65 (No. 5633—$1.60)

Energy Use in an Industrial Veneer Dryer, S. E. Corder, 9:38 (No. 5641—$2)

Federal Fuels From Biomass Energy Program, R. Ward, 9:60 (No. 5631—$1)

Fluidized Bed Solids Waste Gasifier, M. S. Liu and R. Serenius, 9:56 (No. 5628—$.80)

Fueling Around the Boiler Room, A. D. Hughes, 9:33 (No. 5630—$1.20)

In-House Generation of Electricity From Wood Waste Residue, F. L. Morton, 9:73 (No. 5625—$.80)

Market Potential of Mesquite as Fuel, A. T. Wiley and F. G. Manwiller, 9:48 (No. 5489—$.80)

Wood for Energy, J. E. Houghton and L. R. Johnson, 4:15 (No. 5498—$.80)

Wood Residue Energy Conversion Systems Market, W. E. Moore, 3:23 (No. 5394—$1.20)

Wood Residue for Veneer Drying—a Case History, L. H. Furman and L. G. Desmon, 9:52 (No. 5632—$.80)

Finishing & Overlaying

Natural Exterior Finishes for Wood in the Pacific Northwest, J. B. Grantham, T. B. Heebink, J. M. Black, and E. A. Mraz, 8:21 (No. 5506—$1.40)

Overlays for Southern Pine Substrates, H. M. Barnes, 6:36 (No. 5522—$1.40)

Performance of Softwood Plywood During 10 Years' Exposure to Weather, J. M. Black, E. A. Mraz, and J. F. Lutz, 4:24 (No. 5452—$.80)

Gluing

Designing Wood Structures Bonded With Elastomeric Adhesives, R. J. Hoyle, Jr., 3:28 (No. 5432—$1.40)

Durability of Adhesives in Plywood, R. H. Gillespie and B. H. River, 10:21 (No. 5533—$1)

Frequency Analysis of Wood-Failure Data From Exterior Plywood, M. N. Carroll and W. G. Warren, 3:40 (No. 5431—$.80)

Synthesizing Phenol-Formaldehyde Resins for Controlled Dryout Resistance, C. M. Chen and J. T. Rice, 6:17 (No. 5496—$1.40)

Wood Adhesives From Wattle Bark Extract, H. M. Saayman and J. A. Oatley, 12:27 (No. 5545—$1.40)

Mechanical Fastening

Examination by SEM of Plastic-Polymer Coated Nails, A. R. de Freitas, G. Ifju, and E. G. Stern, 10:54 (TN-316—$.40)

Milling & Machining

Abrasive Planing Across the Grain With Higher Grit Numbers Can Reduce Finish Sanding, H. A. Stewart, 4:49 (TN-303—$.60)

Basis and Specifications for a Lumber Slicer, C. C. Peters, 2:26 (No. 5469—$1)

Chemical Wear of Tungsten Carbide Cutting Tools by Western Redcedar, E. Kirbach and S. Chow, 3:44 (No. 5403—$1)

Exploratory Trials With a Spiral-Head Chipper to Make Hardwood "Fingerling" Chips for Ring Flakers, J. R. Erickson, 6:50 (No. 5480—$.80)

Log Centering Errors and Veneer Yield, R. O. Foschi, 2:52 (No. 5421—$1)

Low-Speed Effects on Thick-Slicing, C. C. Peters, H. R. Panzer, and A. F. Mergen, 5:56 (TN-326—$.40)

Prototype Flaking Head Smooths Surfaces Left by Headrig or Edger Chipping Heads, P. Koch, 12:22 (No. 5588—$1)

Removing Bark From Southern Hardwood Whole-Tree Chips, J. R. Erickson, 2:45 (No. 5471—$.80)

Rotary Cutting: a Practical Method for Kerfless Cutting of Wood Thicker Than 1/4 Inch, C. C. Peters, 6:54 (No. 5528—$.60)

Thick-Slicing of Wood: Effects of Bar-Type and Speed of Cut on Quality of Slice, C. C. Peters and R. A. Patzer, 4:19 (No. 5464—$1.20)

Pollution Abatement & Control

Potential Emission Reduction in Veneer Dryers by Boron Compounds, G. E. Troughton and S. Chow, 5:42 (No. 5476—$.60)

Economics & Financial Management

COSTUDY: Practical Management Cost Control, R. W. Bruce, 4:28 (No. 5404—$.60)

Keynote Address, 1976 Annual Meeting, P. R. Gendron, 9:9 (No. 5673—$.60)

Method for Estimating Potential Wood-Chip Supplies From Sawmills, F. C. Emerson, 1:52 (No. 5380—$.40)

Potential Sources of Wood Fiber in the Northeast, J. T. Bones, 2:30 (No. 5466—$.60)

Structure and Change in Northern U.S. Forest Industry: a Shift-Share Analysis, O. W. Herrick, 8:29 (No. 5541—$1.40)

Utilization of Southern Pine Beetle-Killed Timber (a survey of attitudes and available information), M. P. Levi and R. L. Dietrich, 4:42 (No. 5468—$1.40)

Marketing

Forest Products Marketing Research at Oregon State University, R. O. McMahon, 3:19 (No. 5401—$.80)

Particleboard Production, Markets, and Raw Materials in the United States, H. E. Dickerhoof, 10:16 (No. 5502—$1)

Production Management

Introduction to Operations Research as Applied in Forest Products Industries, S. Holmes, 1:17 (No. 5418—$1.20)

Labor Improvement Phenomenon in Furniture Manufacturing, C. W. Neel, 2:23 (No. 5428—$.60)

Noise Survey of a Small Wood Products Company, T. C. Ruedy, F. M. Lamb, J. A. Johnson, and W. B. Stuart, 8:38 (No. 5517—$1.40)

Quality Control

A Statistical Approach to Product Quality Evaluation of Kiln-Dried Pencil Slats, G. Rensi and J. Rhemrev, 12:41 (No. 5410—$.60)

FUNDAMENTAL DISCIPLINES DIVISION

Biology

Aid to Rapid Differentiation Between California White Fir and Hemlock Woods, N. C. Rem and W. W. Wilcox, 1:47 (TN-293—$.40)

Aureobasidium pullulans on Wood Shingles, E. L. Schmidt and D. W. French, 7:34 (No. 5515—$.80)

Bioassay of Residual Preservative Protection in Wood, T. C. Scheffer and J. D. Lew, 7:45 (No. 5486—$1.20)

Comparison of Aboveground Biomasses of the Four Major Southern Pines, A. Clark III and M. A. Taras, 10:25 (No. 5569—$1)

Prevention of Fungal Stain on Pine Lumber—Laboratory Screening Tests With Fungicides, H. H. Unligil, 1:32 (TN-300—$.40)

Utilization of Southern Pine Beetle-Killed Timber (a survey of attitudes and available information), M. P. Levi and R. L. Dietrich, 4:42 (No. 5468—$1.40)

Chemistry

Improved Chromotropic Acid Determination of Formaldehyde Evolution From Wood Composites, L. P. Clermont and M. N. Carroll, 8:35 (No. 5426—$.60)

Physics

Accuracy of Thermistor Method for Measuring Wood Temperature, G. Bramhall, 2:37 (No. 5376—$.40)

Calibration of Moisture-Meter Readings for Douglas-Fir Plywood, L. C. Palka and J. Hejjas, 12:47 (TN-329—$.40)

Comparison of Linear Expansion Test Methods for Particleboard, H. M. Barnes and S. Wang, 8:27 (TN-317—$.40)

Delayed Shrinkage After Surfacing of High-Temperature Kiln-Dried Northern Aspen Dimension Lumber, J. F. G. Mackay, 2:33 (TN-297—$.80)

Effect of Moisture Gradients on the Accuracy of Power-Loss Moisture Meters, J. F. G. Mackay, 3:49 (No. 5456—$.80)

Improved Method for Linear Expansion Measurement in Hardboards, T. Szabo and S. U. Grierson, 1:54 (No. 5393—$.60)

Wood Engineering & Mechanical Properties

Determining Tensile Properties of Sweetgum Veneer Flakes, E. W. Price, 10:50 (No. 5499—$.80)

Duration of Load, B. Madsen and D. Barrett, 2:57 (TN-308—$.20)

Impact Loading Experimentation, L. J. Nemeth and C. D. Epling, 2:49 (TN-299—$.80)

Kiln Temperature Effect on Tensile Strength of Douglas-Fir and Western Hemlock Lumber, C. J. Kozlik, 10:30 (No. 5495—$1)

Modulus of Elasticity Distribution of Loblolly Pine Veneer as Related to Location Within the Stem and Specific Gravity, R. H. McAlister, 10:37 (No. 5525—$.80)

Proposed Studies of Time-Related Load Effects on Wood Materials, C. C. Gerhards, J. D. Barrett, B. Madsen, M. D. Strickler, and R. Pellerin, 12:39 (TN-328—$.40)

Rolling Shear Characteristics of Nine Structural Softwoods, B. A. Bendtsen, 11:51 (No. 5417—$1.20)

Simplification of the Experimental Method for Determining Plate Shear Modulus of Plywood and Particleboard, E. J. Biblis and W-C. Lee, 4:38 (No. 5458—$1)

FPRS Author Index . . . Vol. 26, 1976

A

Adams, M. J., Effect of Crosscutting and Pretreatment on Plywood Log Upgrading, 11:40 (TN-315—$.40)

Admiraal, L., *see* Barnes, D.

Arganbright, D. G., *see* Holmes, S. M.

Atherton, G. H., *see* Polensek, A.

Atherton, G. H., A. Polensek, and S. E. Corder, Human Response to Walking and Impact Vibration of Wood Floors, 10:40 (No. 5424—$1.60)

B

Barnes, D., L. Admiraal, R. L. Pike, and V. N. P. Mathur, Continuous System for the Drying of Lumber With Microwave Energy, 5:31 (No. 5318—$2.20)

Barnes, H. M., and S. Wang, Comparison of Linear Expansion Test Methods for Particleboard, 8:27 (TN-317—$.40)

Barnes, H. M., Overlays for Southern Pine Substrates, 6:36 (No. 5522—$1.40)

Barrett, D., *see* Madsen, B.

Barrett, J. D., *see* Gerhards, C. C.

Behm, R. D., Decorative Veneers and Plywoods From the Pacific West, 8:18 (No. 5474—$.60)

Bellamy, T. R., *see* Welch, R. L.

Bendtsen, B. A., Rolling Shear Characteristics of Nine Structural Softwoods, 11:51 (No. 5417—$1.20)

Biblis, E. J., *see* Coleman, G. E. III

Biblis, E. J., *see* Coleman, G. E. III

Biblis, E. J., *see* Lee, W-C.

Biblis, E. J., and W. Chiu, Preliminary Evaluation of Two Tongue-and-Groove Joints for Five-Ply Structural Sandwich Wood Panels for Floors, 7:55 (No. TN-331—$.60)

Biblis, E. J., and W. C. Lee, Simplification on the Experimental Method for Determining Plate Shear Modulus of Plywood and Particleboard, 4:38 (No. 5458—$1)

Bissell, L. P., *see* Hale, R. A.

Black, J. M., *see* Grantham, J. B.

Black, J. M., E. A. Mraz, and J. F. Lutz, Performance of Softwood Plywood During 10 Years' Exposure to Weather, 4:24 (No. 5452—$.80)

Bones, J. T., Potential Sources of Wood Fiber in the Northeast, 2:30 (No. 5466—$.60)

Bramhall, G., Accuracy of Thermistor Method for Measuring Wood Temperature, 2:37 (No. 5376—$.40)

Bruce, R. W., COSTUDY: Practical Management Cost Control, 4:28 (No. 5404—$.60)

C

Carlson, F., and J. Haygreen, Effect of Temperature and Humidity on Toughness of Three Structural Particleboards, 3:53 (TN-307—$.40)

Carroll, M. N., Growth of Waferboard in Canada, 11:26 (No. 5568—$1)

Carroll, M. N., *see* Clermont, L. P.

Carroll, M. N., and W. G. Warren, Frequency Analysis of Wood-Failure Data From Exterior Plywood, 3:40 (No. 5431—$.80)

Chen, C. M., and J. T. Rice, Synthesizing Phenol-Formaldehyde Resins for Controlled Dryout Resistance, 6:17 (No. 5496—$1.40)

Chiu, W., *see* Biblis, E. J.

Chow, P., Effects of Moisture on the Hardness of Selected Commercial Wood-Base Panel Materials, 7:41 (No. TN-309—$.80)

Chow, P., Properties of Medium-Density, Dry-Formed Fiberboard From Seven Hardwood Residues and Bark, 5:48 (No. 5454—$1.60)

Chow, S., *see* Kirbach, E.

Chow, S., *see* Troughton, G. E.

Christensen, R. L., *see* Robitschek, P.

Clark, A. III, and M. A. Taras, Comparison of Aboveground Biomasses of the Four Major Southern Pines, 10:25 (No. 5569—$1)

Clark, A. III, Sawmill Residue Yields From Yellow-Poplar Saw Logs, 1:23 (No. 5408—$1)

Clermont, L. P., and M. N. Carroll, Improved Chromotropic Acid Determination of Formaldehyde Evolution From Wood Composites, 8:35 (No. 5426—$.60)

Coleman, G. E. III, and E. J. Biblis, Properties of Particleboard From Southern Yellow Pine and Cottonwood Mixtures, 1:48 (No. 5405—$.80)

Coleman, G. E. III, and E. J. Biblis, Properties of Particleboard From Sweetgum, 4:35 (No. 5485—$.60)

Cooper, P. A., Pressure-Preservative Treatment of Poplar Lumber, 7:28 (No. 5492—$.80)

Corder, S. E., Energy Use in an Industrial Veneer Dryer, 9:38 (No. 5641—$2)

Corder, S. E., *see* Atherton, G. H.

Cserjesi, A. J., Permanence of Preservatives in Treated Experimental Shake Roofs, 12:34 (No. 5516—$1)

D

Darr, D. R., *see* Snellgrove, T. A.
Day, R. F., *see* Marra, A. A.
De Freitas, A. R., G. Ifju, and E. G. Stern, Examination by SEM of Plastic-Polymer Coated Nails, 10:54 (TN-316—$.40)
Desmon, L. G., *see* Furman, L. H.
Dickerhoof, H. E., Particleboard Production, Markets, and Raw Materials in the United States, 10:16 (No. 5502—$1)
Dietrich, R. L., *see* Levi, M. P.

E

Einspahr, D. W., and M. Harder, Hardwood Bark Properties Important to the Manufacture of Fiber Products, 6:28 (No. 5472—$.80)
Emerson, F. C., Method for Estimating Potential Wood-Chip Supplies From Sawmills, 1:52 (No. 5380—$.40)
Epling, C. D., *see* Nemeth, L. J.
Erickson, J. R., Exploratory Trials With a Spiral-Head Chipper to Make Hardwood "Fingerling" Chips for Ring Flakers, 6:50 (No. 5480—$.80)
Erickson, J. R., Removing Bark From Southern Hardwood Whole-Tree Chips, 2:45 (No. 5471—$.80)
Eslyn, W. E., *see* Scheffer, T. C.

F

Fahey, D. J., High-Frequency Pressing of Phenolic-Bonded Hardboards, 7:32 (No. 5532—$.40)
Foschi, R. O., Log Centering Errors and Veneer Yield, 2:52 (No. 5421—$1)
French, D. W., *see* Schmidt, E. L.
Furman, L. H., and L. G. Desmon, Wood Residue for Veneer Drying—a Case History, 9:52 (No. 5632—$.80)

G

Gendron, P. R., Keynote Address, 1976 Annual Meeting, 9:9 (No. 5673—$.60)
Gerhards, C. C., J. D. Barrett, B. Madsen, M. D. Strickler, and R. Pellerin, Proposed Studies of Time-Related Load Effects on Wood Materials, 12:39 (TN-328—$.40)
Gillespie, R. H., and B. H. River, Durability of Adhesives in Plywood, 10:21 (No. 5533—$1)
Gonzalez T., G. E., *see* Johnson, B. R.
Graham, R. D., T. C. Scheffer, G. Helsing, and J. D. Lew, Fumigants Can Stop Internal Decay of Douglas-Fir Poles for at Least 5 Years, 7:38 (No. 5396—$.80)
Grantham, J. B., T. B. Heebink, J. M. Black, and E. A. Mraz, Natural Exterior Finishes for Wood in the Pacific Northwest, 8:21 (No. 5506—$1.40)
Grierson, S. U., *see* Szabo, T.

H

Hale, R. A., and L. P. Bissell, Three-Day Wood Drying Short Course a Success in Maine, 12:14 (No. 5559—$.40)
Hanks, L. F., Field Trials of the Forest Service Hardwood Tree Grades, 6:47 (No. 5365—$.60)
Hans, G. E., American Home in Another Perspective, 7:14 (No. 5609—$1.40)
Harder, M., *see* Einspahr, D. W.
Harpole, G. B., Assessing a Continuous Process to Produce Press-Lam Lumber, 8:51 (No. 5544—$1.20)
Hausknecht, W. A., *see* Marra, A. A.
Hautala, E., *see* Randall, J. M.
Haygreen, J., *see* Carlson, F.
Heebink, T. B., *see* Grantham, J. B.
Hejjas, J., *see* Palka, L. C.
Helsing, G., *see* Graham, R. D.
Herrick, O. W., Structure and Change in Northern U. S. Forest Industry: a Shift-Share Analysis, 8:29 (No. 5541—$1.40)
Holmes, S., Introduction to Operations Research as Applied in Forest Products Industries, 1:17 (No. 5418—$1.20)
Holmes, S. M., and D. G. Arganbright, Drying Tests With a Weight-Actuated Lumber-Drying Control System, 11:31 (No. 5507—$1.80)
Horton, R. K., and H. Resch, Kiln-Stick Thickness Effect on Drying 2-Inch Western Hemlock Lumber, 3:35 (No. 5409—$1.20)
Houghton, J. E., and L. R. Johnson, Wood for Energy, 4:15 (No. 5498—$.80)
Howe, J. P., Look for Wood in Crossties, 1:14 (No. 5473—$.60)
Howe, J. P., and P. Koch, Dowel-Laminated Crossties. Performance in Service, Technology of Fabrication, and Future Promise, 5:23 (No. 5484—$1.60)
Hoyle, R. J. Jr., Designing Wood Structures Bonded With Elastomeric Adhesives, 3:28 (No. 5432—$1.40)
Hoyle, R. J. Jr., Klemgard Park Footbridge—a Glued Wood Truss Structure, 2:20 (TN-301—$.80)
Hse, C-Y., Exterior Structural Composite Panels With Southern Pine Veneer Faces and Cores of Southern Hardwood Flakes, 7:21 (No. 5455—$1.40)
Hughes, A. D., Fueling Around the Boiler Room, 9:33 (No. 5630—$1.20)
Hunt, M. O., Commentary on Structural Particleboard and Structural Reliability, 10:48 (No. 5567—$.40)

I

Ifju, G., *see* De Freitas, A. R.

J

Johnson, B. R., and G. E. Gonzalez T., Experimental Preservative Treatment of Three Tropical Hardwoods by Double-Diffusion Processes, 1:39 (No. 5360—$1.60)
Johnson, J. A., *see* Ruedy, T. C.
Johnson, L. R., *see* Houghton, J. E.

K

Kelly, R. A., *see* Shuler, C. E.
Kirbach, E., and S. Chow, Chemical Wear of Tungsten Carbide Cutting Tools by Western Redcedar, 3:44 (No. 5403—$1)
Koch, P., Prototype Flaking Head Smooths Surfaces Left by Headrig or Edger Chipping Heads, 12:22 (No. 5588—$1)
Koch, P., *see* Howe, J. P.
Kozlik, C. J., Kiln-Drying of Western Juniper, 8:45 (TN-311—$.40)
Kozlik, C. J., Kiln Temperature Effect on Tensile Strength of Douglas-Fir and Western Hemlock Lumber, 10:30 (No. 5495—$1)
Krahmer, R. L., *see* Wilson, J. B.

L

Lamb, F. M., *see* Ruedy, T. C.
Lee, W-C., and E. J. Biblis, Effects of a High and Low Relative Humidity Cycle on Properties of Southern Yellow Pine Particleboards, 6:32 (No. 5482—$.80)
Lee, W. C., *see* Biblis, E. J.
Levi, M. P., and R. L. Dietrich, Utilization of Southern Pine Beetle-Killed Timber (a survey of attitudes and available information), 4:42 (No. 5468—$1.40)
Lew, J. D., *see* Graham, R. D.
Lew, J. D. *see* Scheffer, T. C.
Lightsey, G. R., J. W. Mitchell, Jr., and J. Travis, Bark as Trickling-Filter Dewatering Medium for Primary Sludge, 12:17 (No. 5511—$1)
Liu, M. S., and R. Serenius, Fluidized Bed Solids Waste Gasifier, 9:56 (No. 5628—$.80)
Longworth, J., and W. G. Warren, Effects of Thickness and Moisture on the Compressive Strength of Sheathing-Grade Douglas-Fir Plywood, 6:42 (No. 5460—$1)
Lutz, J. F., *see* Black, J. M.

M

Mackay, J. F. G., Delayed Shrinkage After Surfacing of High-Temperature Kiln-Dried Northern Aspen Dimension Lumber, 2:33 (TN-297—$.80)
Mackay, J. F. G., Effect of Moisture Gradients on the Accuracy of Power-Loss Moisture Meters, 3:49 (No. 5456—$.80)
Madsen, B., and D. Barrett, Duration of Load, 2:57 (TN-308—$.20)
Madsen, B., *see* Gerhards, C. C.
Manwiller, F. G., *see* Wiley, A. T.
Marra, A. A., W. A. Hausknecht, and R. F. Day, Southern Hardwoods in Wood-Foam Composites, 2:12 (No. 5467—$1.60)
Mathur, V. N. P., *see* Barnes, D.
McAlister, R. H., Modulus of Elasticity Distribution of Loblolly Pine Veneer as Related to Location Within the

Stem and Specific Gravity, 10:37 (No. 5525—$.80)
McClymont, C. S., *see* Stalker, I. N.
McMahon, R. O., Forest Products Marketing Research at Oregon State University, 3:19 (No. 5401—$.80)
McNatt, J. D., and F. Werren, Fatigue Properties of Three Particleboards in Tension and Interlaminar Shear, 5:45 (No. 5479—$.80)
Mergen, A. F., *see* Peters, C. C.
Mitchell, J. W., Jr., *see* Lightsey, G. R.
Moody, D. R., Advances in Utilizing Wood Residue and Bark as Fuel for a Gas Turbine, 9:65 (No. 5633—$.1.60)
Moore, W. E., Wood Residue Energy Conversion Systems Market, 3:23 (No. 5394—$1.20)
Morton, F. L., In-House Generation of Electricity From Wood Waste Residue, 9:73 (No. 5625—$.80)
Mraz, E. A., *see* Black, J. M.
Mraz, E. A., *see* Grantham, J. B.
Myers, G. C., Low-Density Boards From Wood Fiber and Plastic Resin Combinations, 4:31 (No. 5402—$.80)

N

Neel, C. W., Labor Improvement Phenomenon in Furniture Manufacturing, 2:23 (No. 5428—$.60)
Nemeth, L. J. and C. D. Epling, Impact Loading Experimentation, 2:49 (TN-299—$.80)

O

Oatley, J. A., *see* Saayman, H. M.

P

Palka, L. C., and J. Hejjas, Calibration of Moisture-Meter Readings for Douglas-Fir Plywood, 12:47 (TN-329—$.40)
Panzer, H. R., *see* Peters, C. C.
Patzer, R. A., *see* Peters, C. C.
Pearson, R. G., *see* Thoman, B. J.
Pellerin, R. *see* Gerhards, C. C.
Peters, C. C., H. R. Panzer, and A. F. Mergen, Low-Speed Effects on Thick-Slicing, 5:56 (TN-326—$.40)
Peters, C. C., and R. A. Patzer, Thick-Slicing of Wood: Effects of Bar-Type and Speed of Cut on Quality of Slice, 4:19 (No. 5464—$1.20)
Peters, C. C., Basis and Specifications for a Lumber Slicer, 2:26 (No. 5469—$1)
Peters, C. C., Rotary Cutting: a Practical Method for Kerfless Cutting of Wood Thicker Than 1/4 Inch, 6:54 (No. 5528—$.60)
Pike, R. L., *see* Barnes, D.
Polensek, A., *see* Atherton, G. H.
Polensek, A., and G. H. Atherton, Compression-Bending Strength and Stiffness of Walls With Utility Grade Studs, 11:17 (No. 5497—$1.80)
Prestemon, D. R., Preliminary Evaluation of a Wood-Cement Composite, 2:43 (TN-296—$.60)
Price, E. W., Determining Tensile Properties of Sweetgum Veneer Flakes, 10:50 (No. 5499—$.80)

R

Randall, J. M., E. Hautala, A. C. Waiss, Jr., and J. L. Tschernitz, Modified Barks as Scavengers for Heavy Metal Ions, 8:46 (No. 5483—$1)
Rem, N. C., and W. W. Wilcox, Aid to Rapid Differentiation Between California White Fir and Hemlock Woods, 1:47 (TN-293—$.40)
Rensi, G., and J. Rhemrev, A Statistical Approach to Product Quality Evaluation of Kiln-Dried Pencil Slats, 12:41 (No. 5410—$.60)
Resch, H., *see* Horton, R. K.
Rhemrev, J., *see* Rensi, G.
Rice, J. T., *see* Chen, C. M.
River, B. H., *see* Gillespie, R. H.
Robitschek, P., and R. L. Christensen, Degradation Phenomena in Urea-Formaldehyde Resin-Bonded Particleboard, 12:43 (No. 5537—$.80)
Ruedy, T. C., F. M. Lamb, J. A. Johnson, and W. B. Stuart, Noise Survey of a Small Wood Products Company, 8:38 (No. 5517—$1.40)

S

Saayman, H. M., and J. A. Oatley, Wood Adhesives From Wattle Bark Extract, 12:27 (No. 5545—$1.40)
Scheffer, T. C., *see* Graham, R. D.
Scheffer, T. C., and W. E. Eslyn, Winter Treatments Protect Birch Roundwood During Storage, 1:27 (No. 5388—$1)
Scheffer, T. C., and J. D. Lew, Bioassay of Residual Preservative Protection in Wood, 7:45 (No. 5486—$1.20)
Schmidt, E. L., and D. W. French, *Aureobasidium pullulans* on Wood Shingles, 7:34 (No. 5515—$.80)
Schroeder, H. A., Chemical Pulp From Hardwoods Native to the South—Review of Techniques, Properties, and Markets, 1:34 (No. 5390—$1.20)
Serenius, R., *see* Liu, M. S.
Shuler, C. E., and R. A. Kelly, Effect of Flake Geometry on Mechanical Properties of Eastern Spruce Flake-Type Particleboard, 6:24 (No. 5299—$1)
Shunk, B. H., Drying Southern Hardwood Timbers, Crossties, and Posts: a Review, 4:51 (No. 5412—$1.40)
Simpson, W. T., Steaming Northern Red Oak to Reduce Kiln-Drying Time, 10:35 (TN-312—$.40)
Snellgrove, T. A., and D. R. Darr, Lumber Potential for Cull Logs in the Pacific Northwest, 7:51 (No. 5512—$.80)
Stalker, I. N., and C. S. McClymont, Pressure Band for Sap Displacement of Freshly Felled Trees Using Waterborne Preservatives, 3:55 (TN-302—$.60)
Stern, E. G., *see* De Freitas, A. R.
Stewart, H. A., Abrasive Planing Across the Grain With Higher Grit Numbers Can Reduce Finish Sanding, 4:49 (TN-303—$.60
Strickler, M. D., *see* Gerhards, C. C.
Stuart, W. B., *see* Ruedy, T. C.
Szabo, T., and S. U. Grierson, Improved Method for Linear Expansion Measurement in Hardboards, 1:54 (No. 5393—$.60)

T

Taras, M. A., *see* Clark, A. III
Thoman, B. J., and R. G. Pearson, Properties of Steam-Pressed Particleboard, 11:46 (No. 5523—$1)
Travis, J., *see* Lightsey, G. R.
Troughton, G. E., and S. Chow, Potential Emission Reduction in Veneer Dryers by Boron Compounds, 5:42 (No. 5476—$.60)
Tschernitz, J. L., *see* Randall, J. M.

U

Unligil, H. H., Prevention of Fungal Stain on Pine Lumber—Laboratory Screening Tests With Fungicides, 1:32 (TN-300—$.40)

W

Waiss, A. C., Jr., *see* Randall, J. M.
Wang, S., *see* Barnes, H. M.
Ward, R., Federal Fuels From Biomass Energy Program, 9:60 (No. 5631—$1)
Warren, W. G., *see* Carroll, M. N.
Warren, W. G., *see* Longworth, J.
Welch, R. L., and T. R. Bellamy, Wood Utilization Within the Primary Wood-Using Industry, 6:13 (No. 5503—$.80)
Werren, F., *see* McNatt, J. D.
Wilcox, W. W., *see* Rem, N. C.
Wilson, J. B., and R. L. Krahmer, Particleboard: Microscopic Observations of Resin Distribution and Board Fracture, 11:42 (No. 5555—$.80)
Wiley, A. T., and F. G. Manwiller, Market Potential of Mesquite as Fuel, 9:48 (No. 5489—$.80)
Woodson, G. E., Effects of Bark, Density Profile, and Resin Content on Medium-Density Fiberboards From Southern Hardwoods, 2:39 (No. 5423—$.80)